Government of Saskatchewan
Ministry of Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 4, May 30, 2013

For the Period May 21 to 27, 2013

Great strides were made in seeding progress this week with 67 per cent of the 2013 crop now seeded, according to Saskatchewan Agriculture's weekly Crop Report. The five-year (2008-2012) average for this time of year is approximately 70 per cent seeded.

All regions of the province made significant headway this week: 67 per cent of the crop is seeded in the southeast; 85 per cent in the southwest; 51 per cent in the northeast; 69 per cent in the northwest; 60 per cent in the east-central area; and 65 per cent in the west-central area.

Seeding was temporarily halted in some regions over the weekend as the majority of the province received rainfall. The Coronach and Humboldt areas received the most rainfall with more than two inches.

Provincially, topsoil moisture on cropland is rated as 13 per cent surplus, 81 per cent adequate and six per cent short. Hay land and pasture topsoil moisture is rated as seven per cent surplus, 81 per cent adequate, 11 per cent short and one per cent very short.

Livestock water availability is adequate and pasture conditions are rated as 20 per cent excellent, 56 per cent good, 20 per cent fair and four per cent poor.

Farmers are busy seeding, controlling weeds and moving cattle to pasture.

Seeding Progress in SK Per cent seeded All Crops	
May 27/13	67
5 year avg. (2008-2012)	70
May 28/12	74
May 23/11	54
May 27/10	55
May 25/09	79
May 25/08	86

One year ago

Seventy-four per cent of the 2012 crop had been seeded. The majority of the province received large amounts of rainfall which delayed seeding progress. Some areas received over four inches of rain. Follow the 2013 Crop Report on Twitter @SKGovAg

Seeding Progress by Crop District		
CD	May 27/13	May 28/12
1a	57	74
1b	66	66
2a	68	78
2b	71	66
3ase	75	89
3asw	73	72
3an	83	65
3bs	91	85
3bn	87	85
4a	97	86
4b	84	92
5a	62	50
5b	55	52
6a	61	70
6b	60	70
7a	70	68
7b	66	83
8a	46	85
8b	54	76
9ae	55	80
9aw	64	88
9b	73	85

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Seeding progress has tripled in the region over the past week and producers now have 67 per cent of the crop in, up significantly from 22 per cent last week. The five-year (2008-2012) average for this time of year is 64 per cent of acres seeded. At this time, it is estimated that seven per cent of acres will remain unseeded due to excess moisture.

Southeastern Saskatchewan	
Crop District	**% seeded (May 27, 2013)**
1A	57
1B	66
2A	68
2B	71
3ASE	75
Region average	**67**
five-year average (2008-2012)	64

Much of the region received substantial rainfall which has slowed down seeding progress. The Lampman area received 7 mm of rain, the Manor area 8 mm, the Kisbey area 10 mm, the Whitewood area 29 mm, the Broadview area 25 mm, the Wolseley area 28 mm, the Weyburn area 24 mm, the Moose Jaw area 26 mm, the Radville area 18 mm and the Ceylon area 17 mm. Since April 1, the Frobisher area has received the greatest amount of precipitation (71 mm).

Topsoil moisture conditions on cropland are rated as 19 per cent surplus, 78 per cent adequate and three per cent short. Hay land and pasture topsoil moisture is rated as 10 per cent surplus, 81 per cent adequate and nine per cent short. CD 2A is reporting that 34 per cent of the cropland has surplus topsoil moisture at this time.

Pasture conditions across the region are rated as 14 per cent excellent, 54 per cent good, 28 per cent fair and four per cent poor. Ninety-nine per cent of livestock producers have indicated that they have adequate livestock water supplies.

High winds and localized flooding have damaged emerged crops in some areas. There have been reports that some winter cereal fields are being reseeded to other crops due to high levels of winterkill. Many producers have indicated that at least a week of warm and dry weather will be needed for seeding to be completed and spraying operations to advance. However, some areas are also in need of rain to help germinate later-seeded crops. The majority of emerged crops are looking healthy and will soon be ready for in-crop herbicide applications. There have also been reports of fertilizer shortages and delayed delivery.

Farmers are busy seeding, controlling weeds and working fields.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

Seeding is advancing quickly and many producers will be done in the next week. Eighty-five per cent of the 2013 crop is now in the ground, well ahead of the five-year (2008-2012) average of 75 per cent for this time of year. Last week producers had 51 per cent of the crop seeded. At this time, it is estimated that two per cent of acres will remain unseeded due to excess moisture.

Southwestern Saskatchewan	
Crop District	**% Seeded (May 27, 2013)**
3ASW	73
3AN	83
3BS	91
3BN	87
4A	97
4B	84
Region average	**85**
five-year average (2008-2012)	75

The region received significant rainfall that brought high winds, localized flooding and hail damage to some areas. The Coronach area received 56 mm of rainfall, the Fife Lake area 32 mm, the Limerick area 46 mm, the Spring Valley area 20 mm, the Gravelbourg area 19 mm, the Central Butte and Shaunavon areas 17 mm, the Cadillac area 48 mm, the Blumenhof area 16 mm, the Cabri area 36 mm, the Tyner area 13 mm, the Maple Creek area 22 mm and the Richmond area 25 mm. The Cadillac area has received the greatest amount of precipitation since April 1 at 96 mm.

Topsoil moisture for cropland is rated as one per cent surplus, 83 per cent adequate and 16 per cent short. Hay land and pasture topsoil moisture is rated as 78 per cent adequate, 20 per cent short and two per cent very short. CD 4B is reporting 25 per cent and 39 per cent of cropland and hay and pasture land to be short topsoil moisture. Strong winds and warm weather have dried the majority of fields and pastures and a significant rainfall will be needed soon to replenish the soil.

Pasture conditions across the region are rated as 16 per cent excellent, 62 per cent good, 17 per cent fair and five per cent poor. Ninety-nine per cent of livestock producers have indicated that they have adequate livestock water supplies.

Some southern areas of the region received heavy rain and hail over the weekend that has damaged some emerged crops. There have also been reports of damage from pea leaf weevil in some areas. Most of the region is in need of rain to help germinate crops and to help pasture growth. There are indications that in-crop herbicide application will begin soon for many producers. There have been many reports of fertilizer shortages and delays in delivery.

Farmers are busy seeding, hauling grain, controlling weeds and moving cattle to pasture.

East-Central Saskatchewan (Crop Districts 5 and 6a)

Seeding progress is right on track with the five-year average in the east-central region.
Sixty per cent of the crop is now in the ground, significantly up from 22 per cent last week. The five-year (2008-2012) average for this time of year is 59 per cent. At this time, it is indicated that five per cent of acres will remain unseeded due to excess moisture.

East-central Saskatchewan	
Crop District	**% Seeded (May 27, 2013)**
5A	62
5B	55
6A	61
Region average	**60**
five-year average (2008-2012)	59

Large amounts of rain were received last week that has delayed seeding in some areas. The Stockholm area received 30 mm of rain, the Abernethy and Goodeve areas 16 mm, the Ituna area 18 mm, the Kamsack area 15 mm, the Pelly area 12 mm, the Bulyea area 19 mm, the Kenaston area 25 mm, the Humboldt area 51 mm and the Bradwell area 34 mm. Since April 1, the Humboldt area has received the greatest amount of precipitation (77 mm).

Cropland topsoil moisture is rated as 11 per cent surplus, 83 per cent adequate and six per cent short. Hay land and pasture topsoil moisture is rated as five per cent surplus, 83 per cent adequate and 12 per cent short. CD 6A is reporting 19 per cent of the hay and pasture land to be short topsoil moisture.

Pasture conditions across the region are rated as 10 per cent excellent, 50 per cent good, 33 per cent fair and seven per cent poor. Ninety-nine per cent of livestock producers have indicated that they have adequate livestock water supplies.

Crop damage this week is due to localized flooding, high winds and frost. Many producers in the region will be done seeding in the coming week and spraying operations will continue. High humidity and wet stubble has caused some issues with seeding equipment. Pasture growth has been slow and some areas would welcome a rain to help things along. There have been reports of fertilizer delivery delays and shortages in some areas. Emerged crops look healthy and are advancing quickly.

Farmers are busy seeding, controlling weeds, working fields and moving cattle.

West-Central Saskatchewan (Crop Districts 6B and 7)

Seeding progress has more than doubled in the west-central region in the last week, despite delays from recent rainfall. Producers now have 65 per cent of the crop in the ground, up significantly from 29 per cent last week. The five-year (2008-2012) average for this time of year is 76 per cent. At this time, it is indicated that ten per cent of acres will remain unseeded due to excess moisture.

West-central Saskatchewan	
Crop District	**% Seeded (May 27, 2013)**
6B	60
7A	70
7B	66
Region average	**65**
five-year average (2008-2012)	76

Most of the region received significant rainfall that has slowed down seeding. The Outlook area received 21 mm, the Perdue area 18 mm, the Hanley area 26 mm, the Sonningdale area 35 mm, the Eston area 22 mm, the Biggar area 23 mm, the Major area 24 mm, the Battleford area 19 mm and the Rosetown area 16 mm. Since April 1, the Major area has received the greatest amount of precipitation for the region at 90 mm.

Cropland topsoil moisture is rated as 18 per cent surplus, 80 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as 13 per cent surplus, 83 per cent adequate and four per cent short.

Pasture conditions across the region are rated as 44 per cent excellent, 45 per cent good, nine per cent fair and two per cent poor. Ninety-nine per cent of livestock producers have indicated that they have adequate livestock water supplies.

Localized flooding, high winds, hail and frost have damaged emerged crops in some areas. Weed growth has been heavy and producers are trying to spray herbicides when the winds are calm. Pastures are growing, although some of them could use rain to help things along. Most producers have indicated that seeding will be done within another week if the warm conditions continue.

Farmers are busy seeding, controlling weeds, rolling pulses and hauling grain.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Field work and seeding is progressing in the northeast region. Producers have 51 per cent of the crop seeded, up from only six per cent last week. The five-year (2008-2012) average for this time of year is 71 per cent. Warm and dry conditions are needed for seeding to continue. At this time, it is estimated that nine per cent of acres will remain unseeded due to excess moisture.

Northeastern Saskatchewan	
Crop District	**% Seeded (May 27, 2013)**
8A	46
8B	54
9AE	55
Region average	**51**
five-year average (2008-2012)	71

Parts of the region received precipitation last week with the Prince Albert area receiving the most at 14 mm. The Humboldt area received 16 mm, the Bruno and Birch Hills areas 10 mm, the Vonda area 8 mm, the Alvena area 5 mm and the Star City and Tisdale areas 4 mm. Since April 1, the Humboldt area has received the most precipitation at 47 mm.

Topsoil moisture conditions on cropland are rated as 23 per cent surplus and 77 per cent adequate. Hay land and pasture topsoil moisture is rated as 17 per cent surplus and 83 per cent adequate.

Pasture conditions across the region are rated as 21 per cent excellent, 63 per cent good, 15 per cent fair and one per cent poor. One hundred per cent of livestock producers have indicated that they have adequate livestock water supplies.

Crop reporters indicate that some crops have been damaged by localized flooding but overall good growing conditions were experienced this week. Operations of spraying, seeding and cultivating are progressing quickly this week in most areas of the district. Most areas of the district are still very wet and difficulty accessing some fields continues.

Farmers are busy seeding, controlling weeds and working fields.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Seeding progress in the northwest has quickly progressed due to warm and dry weather. Sixty-nine per cent of the crop is now in the ground, more than tripled from 22 per cent last week. The five-year (2008-2012) average for this time of year is 77 per cent. At this time, it is estimated that seven per cent of acres will remain unseeded due to excess moisture.

Northwestern Saskatchewan	
Crop District	**% Seeded (May 27, 2013)**
9AW	64
9B	73
Region average	**69**
five-year average (2008-2012)	77

Large amounts of precipitation were received this past week with the majority of the region receiving rain. The Spiritwood area received 28 mm, the Hafford area 26 mm, the Radisson and Speers areas 24 mm, the Lloydminster area 23 mm and the Frenchman Butte area 22 mm. Since April 1, the Lloydminster area has received the most precipitation for the region (46 mm).

Topsoil moisture conditions on cropland are rated as 14 per cent surplus, 83 per cent adequate and three per cent short. Hay land and pasture topsoil moisture is rated as 90 per cent adequate and 10 per cent short.

Pasture conditions across the region are rated as 25 per cent excellent, 60 per cent good, 13 per cent fair, one per cent poor and one per cent very poor. One hundred per cent of livestock producers have indicated that they have adequate livestock water supplies.

High winds, localized flooding and reports of hail have damaged emerged crops in some areas. Seeding and spraying is progressing quickly when the rain allows. There have been reports of fertilizer shortages in some areas of the region. Many roads and fields are still wet and inaccessible but most producers are managing to work around them. Despite the wet conditions in some areas, many producers have indicated that more topsoil moisture will be needed soon to help germinate the crops.

Farmers are busy seeding, spraying, working fields and moving cattle.

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending May 27, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: May 29, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period May 21 to 27, 2013

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	NIL	59
	3	Enniskillen	6	71
	33	Moose Creek	4	50
	34	Browning	7	49
	61	Antler	6	69
	63	Moose Mountain	8	43
	64	Brock	10	37
	65	Tecumseh	12	46
1B	91	Maryfield	5	21
	92	Walpole	N/A	NIL
	122	Martin	5	35
	123	Silverwood	29	63
	124	Kingsley	15	41
	125 A	Chester	21	43.5
	125 B	Chester	24	49
	151 A	Rocanville	25	68
	151 B	Rocanville	2	53
	153	Willowdale	N/A	N/A
	154	Elcapo	25	61
	155 A	Wolseley	20	55
	155 B	Wolseley	28	55
2A	67	Weyburn	26	61
	68	Brokenshell	22	65
	97	Wellington	14	39
	99	Caledonia	N/A	N/A
2B	127 A	Francis	16.5	34.5
	127 B	Francis	8	21
	129	Bratt's Lake	1	35
	131 A	Baildon	23	58
	131 B	Baildon	26	63
	156 A	Indian Head	9.5	17
	156 B	Indian Head	24	67
	160 A	Pense	N/A	N/A
	160 B	Pense	18	59.5
	161	Moose Jaw	7.3	16
	162	Caron	10	47
	191	Marquis	6	24
3ASE	38 A	Launer	19	48
	38 B	Launer	19	55
	39 A	The Gap	17	40
	39 B	The Gap	5	54
3ASW	10	Happy Valley	10	25
	11	Hart Butte	55.9	88.5
	12	Poplar Valley	32	63
	40 A	Bengough	19	59
	40 B	Bengough	25	45
	42	Willow Bunch	31	66
	43 A	Old Post	41	70
	43 B	Old Post	N/A	N/A
	70	Key West	N/A	15.3
	71 A	Excel	N/A	N/A
	71 B	Excel	24	46
	72 A	Lake of the Rivers	N/A	N/A
	72 B	Lake of the Rivers	N/A	NIL
	73 A	Stonehenge	44.7	63.7
	73 B	Stonehenge	48	77
	74 A	Wood River	19.5	45.5
	74 B	Wood River	N/A	3
	74 C	Wood River	N/A	N/A
3AN	101	Terrell	20	43
	102	Lake Johnston	N/A	13.4
	103 A	Sutton	25	31
	103 B	Sutton	N/A	N/A
	132 A	Hillsborough	12	28
	132 B	Hillsborough	6.8	24.3
	134	Shamrock	6	70
	164 A	Chaplin	19.5	19.5
	164 B	Chaplin	N/A	N/A
	193 A	Eyebrow	9	24
	193 B	Eyebrow	13	38.2
	194	Enfield	N/A	N/A
	224	Maple Bush	17	35
3BS	17 A	Val Marie	48	96
	17 B	Val Marie	N/A	N/A
	45	Mankota	16	50.5
	75 A	Pinto Creek	11	34
	75 B	Pinto Creek	N/A	22
	76	Auvergne	14	41
	77	Wise Creek	12	72
	78 A	Grassy Creek	9	41
	78 B	Grassy Creek	10	38
	105	Glenbain	2	33
	106	Whiska Creek	8	30
	107 A	Lac Pelletier	16	37
	107 B	Lac Pelletier	N/A	8.5
	108	Bone Creek	16	41

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
3BN	138 A	Webb	21	55
	138 B	Webb	26.7	47.9
	166 A	Excelsior	12	34
	166 B	Excelsior	N/A	N/A
	167	Sask. Landing	9	35
	168 A	Riverside	17	47
	168 B	Riverside	35.6	77.4
	226 A	Victory	5	12
	226 B	Victory	N/A	2.5
	228	Lacadena	13	16
	256	Coteau	8	33.9
	257	Monet	6.3	16.5
4A	19	Frontier	N/A	N/A
	49	White Valley	25	47
	51 A	Reno	15.5	60
	51 B	Reno	N/A	N/A
	79	Arlington	17	37
	109	Carmichael	N/A	14
	110	Piapot	22	45
	111	Maple Creek	N/A	NIL
4B	139	Gull Lake	16	48
	141	Big Stick	21	38
	142	Enterprise	25	57
	169	Pittville	N/A	50
	231	Happyland	17	37
5A	183 A	Fertile Belt	30	142.5
	183 B	Fertile Belt	15	68
	186	Abernethy	16	39
	211	Churchbridge	5	44
	213	Saltcoats	19	61
	214	Cana	N/A	25
	216	Tullymet	18	48.3
	217 A	Lipton	N/A	N/A
	241	Calder	17	52
	243	Wallace	11	21
	245 A	Garry	7	30
	245 B	Garry	11	44
	245 C	Garry	16	32
	246	Ituna Bon Accord	N/A	24
	247	Kellross	12	25
	248	Touchwood	9	17
5B	271	Cote	15	43
	273	Sliding Hills	5	31.5
	277	Emerald	10	26
	305	Invermay	12	25.5
	307	Elfros	14	41
	308 A	Big Quill	2	18
	308 B	Big Quill	5	32
	331	Livingston	12	67
	333	Clayton	6.5	39
	334	Preeceville	2	31.2
	336	Sasman	4	30
	337 A	Lakeview	N/A	40.5
	337 B	Lakeview	NIL	9.5
	338	Lakeside	1	40
	366	Kelvington	3	46
	367	Ponass Lake	2	52.5
6A	190 A	Dufferin	13	44
	190 B	Dufferin	8	61.5
	190 C	Dufferin	15	46
	190 D	Dufferin	N/A	42
	219	Longlaketon	6	17
	220	Mickillop	19	50
	221	Sarnia	5.4	32.2
	222	Craik	11	53
	251	Big Arm	9	37
	252	Arm River	20	41
	279	Mount Hope	8	26
	282	McCraney	25	45
	309	Prairie Rose	NIL	44
	310	Usborne	N/A	N/A
	313	Lost River	N/A	N/A
	339	Leroy	7.2	52.8
	340	Wolverine	51	77
	341	Viscount	N/A	20
	343 A	Blucher	34	69.5
	343 B	Blucher	N/A	NIL
6B	283	Rosedale	21	50.5
	284	Rudy	21	39
	285	Fertile Valley	9	33
	286	Milden	5	13
	314	Dundurn	30	70
	344	Corman Park	12	22
	346	Perdue	18	34
	376 A	Eagle Creek	16	35
	376 B	Eagle Creek	35	47
	403 A	Rosthern	10	12
	403 B	Rosthern	5	35

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	259	Snipe Lake	N/A	N/A
	260 A	Newcombe	22	50
	260 B	Newcombe	N/A	N/A
	261	Chesterfield	N/A	19
	287	St. Andrews	N/A	14
	288	Pleasant Valley	16	36
	290 A	Kindersley	12	37.5
	290 B	Kindersley	12.5	15.5
	290 C	Kindersley	14	38.5
	292	Milton	N/A	27
	317 A	Marriott	N/A	N/A
	317 B	Marriott	13	53
	317 C	Marriott	N/A	N/A
	318	Mountain View	20	62
	320 A	Oakdale	9	41.9
	320 B	Oakdale	26	42
	321	Prairiedale	15	28
7B	347 A	Biggar	22	42
	347 B	Biggar	18	30
	350 A	Mariposa	5.1	18.8
	350 B	Mariposa	9	29
	351	Progress	10	30.5
	352	Heart's Hill	24	90
	377	Glenside	23	43
	378 A	Rosemount	16	38
	378 B	Rosemount	28	38
	379	Reford	3	18
	381	Grass Lake	N/A	5.1
	382	Eye Hill	12.7	14.6
	409 A	Buffalo	19	29
	409 B	Buffalo	N/A	N/A
	410	Round Valley	8	8
	411	Senlac	N/A	N/A
8A	395	Porcupine	N/A	20
	397	Barrier Valley	3.7	37.4
	428	Star City	4	21
	456	Arborfield	1	16
	457	Connaught	N/A	26
	458	Willow Creek	NIL	5
	486	Moose Range	NIL	19
	487 A	Nipawin	NIL	14
	487 B	Nipawin	N/A	N/A
8B	369	St. Peter	N/A	14
	370	Humboldt	16	47
	371	Bayne	10	20
	372	Grant	7.8	36.5
	400 A	Three Lakes	N/A	0
	400 B	Three Lakes	N/A	26
	402	Fish Creek	5	30
	429	Flett's Springs	2	13
	431	St. Louis	N/A	N/A
	459	Kinistino	NIL	6
	460	Birch Hills	10.2	18.4
9AE	461	Prince Albert	N/A	22.4
	488	Torch River	NIL	2
	491	Buckland	14	40
9AW	406	Mayfield	24	34
	435	Redberry	26	32
	436	Douglas	24	44
	463	Duck Lake	N/A	28
	466	Meeting Lake	N/A	N/A
	467 A	Round Hill	15	35
	467 B	Round Hill	N/A	NIL
	494	Canwood	N/A	N/A
	496 A	Spiritwood	N/A	N/A
	496 B	Spiritwood	27.9	35.9
	497	Medstead	N/A	8
9B	438	Battle River	10	23
	440	Hillsdale	10	19
	442	Manitou Lake	17.8	37
	498 A	Parkdale	4	14.5
	498 B	Parkdale	N/A	11
	499 A	Mervin	NIL	20.4
	499 B	Mervin	2.5	21.5
	501 A	Frenchman Butte	16	45
	501 B	Frenchman Butte	4	23
	501 C	Frenchman Butte	22	40
	502 A	Britannia	N/A	N/A
	502 B	Britannia	23	46
	561	Loon Lake	6	24
	588 A	Meadow Lake	8	29
	588 B	Meadow Lake	24	38
	588 C	Meadow Lake	4	34
	588 D	Meadow Lake	N/A	31
	588 E	Meadow Lake	N/A	N/A
	622	Beaver River	N/A	11.5

Municipality No: A, B, C, D and E - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2013
To: May 27, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: May 29, 2013

© 2013 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

May 28, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: May 29, 2013

© 2013 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

May 28, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: May 29, 2013

© 2013 Government of Saskatchewan